







PRODUCT LINE CARD



Machine Type	Model	Speeds	Machine Dimensions	Case/Tray size		Air Requirements	Conveyor Height	Electrical
				Min.	Max.			
Case Erectors	SIMS ER-1600	20 Cases Per Min.	60"x76"x60"	Min.[14"x7"x6"]	Max.[25"x14"x19"]	10 CFM @ 90 psi	24" to 33"	230/480V, 60 HZ, 3 ph
	SIMS ER-1800	17 Cases Per Min.	74"x88"x60"	Min.[14"x7"x6"]	Max.[25"x14"x19"]	10 CFM @ 90 psi	24" to 33"	230/480V, 60 HZ, 3 ph
	SIMS ER-1600 with Lidder	20 Cases Per Min.	116"x94"x60"	Min.[14"x7"x6"]	Max.[25"x14"x19"]	10 CFM @ 90 psi	24" to 33"	230/480V, 60 HZ, 3 ph
	SIMS ER-1800 with Lidder	17 Cases Per Min.	116"x94"x60"	Min.[14"x7"x6"]	Max.[25"x14"x19"]	10 CFM @ 90 psi	24" to 33"	230/480V, 60 HZ, 3 ph
Case Sealers	SIMS T-400 (uniform sealer)	30 Cases Per Min.	72"x47"75"	Min.[8"x8"x4"]	Max.[18"x16"x14"]	3 CFM @ 90 psi	24" to 33"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
	SIMS T-500 (uniform sealer)	45 Cases Per Min.	84"x47"75"	Min.[8"x8"x4"]	Max.[18"x16"x14"]	3 CFM @ 90 psi	24" to 33"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
	SIMS T-600 (uniform sealer)	45 Cases Per Min.	80"x42"x72"	Min.[14"x11x6"]	Max.[22"x16"x14"]	7 CFM @ 90 psi	26" to 32"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
	SIMS T-660 (random sealer)	25 Cases Per Min.	80"x42"x72"	Min.[14"x11x6"]	Max.[22"x16"x14"]	7 CFM @ 90 psi	26" to 32"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
	SIMS T-750 (random sealer)	15 Cases Per Min.	80"x48"x72"	Min.[8"x8"x4"]	Max.[25"x22"x20"]	7 CFM @ 90 psi	24" to 32"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
	SIMS G-950 (random sealer)	15 Cases Per Min.	100"x48"x76"	Min.[14"x11x6"]	Max.[22"x16"x15"]	7 CFM @ 90 psi	26" to 32"	208/230/480V, 60 HZ, 3 ph, 110V, 1 ph
Snap Lock Case Closer	SIMS SN-100 (random closer)	30 Cases Per Min.						
Tape Heads	SIMS 2 inch	188 Ft. Per Min.						
	SIMS 3 inch	188 Ft. Per Min.						



Machine Type	Model	Speeds	Machine Dimensions	Min. Unit Size Case, Tray, Etc...	Max. Unit Size Case, Tray, Etc...	Air Requirements	Conveyor Height	Electrical
Top Pad Inserter	SIMS Pad Inserter	60 Cases Per Minute						
Tray Denesters	SIMS MS-6	32 Trays Per Minute	23.25 x 64.75		60 x 40 (metric)	3 CFM @ 80 PSI	28" - 34"	120v, 3 amps
	SIMS MS-7	32 Trays Per Minute	26.75 x 50.75		60 x 40 (metric)	3 CFM @ 80 PSI	28" - 34"	120v, 3 amps
Case Strapper	SIMS Tight Pack Strapper							
Trayformer	SIMS Trayformer							
Fruit Waxer	SIMS Waxer							


StrapPack



StrapPack	Machine Type	Model	Speeds	Machine Dimensions	Case Size		Strap Widths	Table Height	Electrical	
					Min.	Max.				
Strapping Machines	Fully Automatic	RQ-8	40 Straps Per Minute	49.31"x24"x55.25"	3.12"x1.25"	24.44"x18.87"	1/4, 3/8, 1/2, or 5/8	31.25"	100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		RQ-8A (FB4)		49.31"x24.06"x55.25"	6.69"x3.12"	21.69"x17"	1/4, 3/8, 1/2, or 5/8	31.44"	200, 220, 240, 380, 400, 415v 3ph. 50/60hz 0.83KVA	
		RQ-8Y		59.125"x24"x67.81"	1.25"x3.94"	22.5"x32.65"	1/4, 3/8, 1/2, or 5/8		100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		RQ-8IR II		36.06"x24"x54.875"	3.12"x1.19"	24.44"x15"	1/4, 3/8 or 1/2	34.81"	100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		RQ-8AP/3		89"x24.06"x83.25"	7.88"x4.75"	62.62"x20.75"	1/4		200, 220, 240, 380, 400, 415, 440, 480v 3ph. 50/60hz 0.83KVA	
		AQ-7		49.31"x24"x55.25"	3.12"x1.25"	24.44"x18.87"	1/4, 3/8, 1/2, or 5/8	31.31"	200, 220, 240, 380, 400, 415v 3ph. 50/60hz 0.85KVA	
		AQ-7M		62.19"x24"x25.25"	1.25"x3.12"	26.69"x19.69"	1/4, 3/8, 1/2, or 5/8	25.25"	200, 220, 240, 380, 400, 415v 3ph. 50/60hz 0.85KVA	
		RQ-8Y/PLT		44.81"x19.625"x68.69"	7.87"x25.62"	free	3/8, 1/2, or 5/8		100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.56KVA	
		RQ-8S		49.31"x24"x51.31"	1.62"x1.25"	24.44"x15"	1/4, 3/8 or 1/2	31.25"	100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		RQ-8LS		43.25"x24"x47.25"	3.12"x1.25"	31"x22"	1/4, 3/8, 1/2, or 5/8	17"	100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		RQ-8LD		73.25"x24"x61"	3.12"x1.25"	31"x22"	1/4, 3/8, 1/2, or 5/8	17"	100, 120, 200, 220, 230, 240v 1ph. 50/60hz 0.65KVA	
		SAP7-OLHE		137.06"x118.125"x122"	31.5"x19.69"	51.19"x78.75"	3/8, 1/2, 5/8 or 3/4		200, 380, 400, 415v 3ph. 50/60hz 1.88KVA	
		Semi-Automatic	D-52			30.69"x21.75"x30.31"	3.94"x1.25"	free	1/4, 3/8, 1/2, or 5/8	29.56"
	D-52LB				57.19"x21.75"x24.87"	3.94"x1.25"	free	1/4, 3/8, 1/2, or 5/8	13.37"	100, 220, 240v 1ph. 50/60hz 0.4KVA
	D-52NA				23.19"x19.625"x30.31"	3.94"x1.25"	free	1/4, 3/8, 1/2, or 5/8	29.56"	100, 220, 240v 1ph. 50/60hz 0.4KVA
	D-52NB				34.06"x19.625"x13.625"	3.94"x1.25"	free	1/4, 3/8, 1/2, or 5/8	10.5"	100, 220, 240v 1ph. 50/60hz 0.4KVA
	D-52DeskTop				27.06"x17.31"x9.625"	3.94"x1.25"	free	1/4, 3/8, 1/2, or 5/8	8.25"	100, 220, 240v 1ph. 50/60hz 0.4KVA
	S-669				35.625"x23.625"x29.562"	60"x30"	free	1/4, 3/8, 1/2, or 5/8		100, 220, 230, 240v 1ph. 50/60hz 0.67KVA
	S-661YK				42"x27.19"x61.5"	30"x80"	free	1/4, 3/8, 1/2, or 5/8	21.75", 25.25", 28.81"	100, 220, 230, 240v 1ph. 50/60hz 0.67KVA
	S-661MX			42"x27.19"x61.5"	30"x80"	free	1/4, 3/8, 1/2, or 5/8	21.31", 25.56", 29"	100, 220, 230, 240v 1ph. 50/60hz 0.67KVA	



Wulftec	Machine Type	Model	Special Features	Speeds	Machine Dimensions	Load Size		Air Requirements	Electrical
						Min.	Max.		
Automatic Stretch Wrappers	Futura - 2000	WRT - 125	Semi-Auto Free Standing	40-50 Loads/Hour	128"x120"x134"	36"x36"x20"	58"x58"x80"		120v, 1ph., 60 cycles, 15 amps
	Futura - 2000	WRTA - 125	Automatic No Conveyors	40-50 Loads/Hour	134"x119"x152"	36"x36"x20"	58"x58"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Futura - 2000	WCRT - 125	Automatic with Process Conveyor	Up to 50 Loads/Hour	134"x240"x152"	36"x36"x20"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Futura - 2000	WCRT - 125	Automatic with Conveyors	Up to 50 Loads/Hour	134"x240"x152"	36"x36"x20"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Fully Automatic	WHPA - 150	Portable High Profile	30-40 Loads/Hour	52"x107"x93"		56"x56"x80"		120v, 1ph., 60 cycles, 15 amps
	Fully Automatic	WHPA - 300	Portable High Profile	40-50 Loads/Hour	52"x120"x96"	36"x36"x10"	52"x52"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Fully Automatic	WASA - 300	Conveyorized Turntable Stand Alone	60 Loads/Hour	138"x136"x96"	36"x36"x10"	36"x36"x10"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Fully Automatic	WRTA - 100	Non-Conveyorized Wall Mount	Up to 60 Loads/Hour	48"x102"x118"		52"x52"x80"	3 CFM @ 80 psi	120v, 1ph., 60 cycles, 15 amps
	Fully Automatic	WRTA - 150	Non-Conveyorized free Standing	Up to 50 Loads/Hour	48"x109"x118"		52"x52"x80"	3 CFM @ 80 psi	120v, 1ph., 60 cycles, 15 amps
		WRTA - 200	Non-Conveyorized free Standing	Up to 50 Loads/Hour	88"x150"x114"		54"x54"x80"		120v, 1ph., 60 cycles, 10 amps
	Fully Automatic	WCA - 150	Conveyorized Turntable Automatic	40-50 Loads/Hour	198"x132"x97"	36"x36"x10"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Fully Automatic	WCA - 200	Conveyorized Turntable Automatic	Up to 60 Loads/Hour	198"x137"x102"	36"x36"x10"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Fully Automatic	WCRT - 200	Conveyorized Overhead	Up to 100 Loads/Hour	172"x141"x132"	36"x36"x10"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 15 amps
	Fully Automatic	WCARDT - 200	Conveyorized Turntable & Overhead	90-100 Loads/Hour	172"x142"x132"	36"x36"x10"	50"x50"x80"	3 CFM @ 80 psi	230v, 3ph., 60 cycles, 25 amps
	Semi- Automatic Robot	MW2 - Movable Wrapper	Battery Operated Mobile Unit	350 Loads/Charge	45"x63"x94"	24"x24"x12"	82" High		24v Battery, 120v Charger
	Semi- Automatic Robot	Powered Pre-Stretch							
	Automatic Horizontal Ring	WRWA - 200 - 48	48" Ring	60-120 Loads/Hour	88"x54.5"x88"	40" Diagonal Load Dimension		6CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Automatic Horizontal Ring	WRWA - 200 - 60	60" Ring	60-120 Loads/Hour	100"x54.5"x100"	52" Diagonal Load Dimension		6CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Automatic Horizontal Ring	WRWA - 200 - 78	78" Ring	60-120 Loads/Hour	118"x54.5"x118"	70" Diagonal Load Dimension		6CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps
	Automatic Horizontal Ring	WRWA - 200 - 96	96" Ring	60-120 Loads/Hour	136"x54.5"x136"	88" Diagonal Load Dimension		6CFM @ 80 psi	230v, 3ph., 60 cycles, 20 amps



Interpack	Machine Type	Model Number	Electrical	Air Requirments	Case Range		Operating Speeds
					Min	Max	
Entry Level Tape Sealers	Semi-Automatic (uniform)	USA 20-B	115v, 1ph., 60 cycles, 7.2 amps		6"x6"x2"	inf."x20"x inf."	82' / min.
	Semi-Automatic (uniform)	USA 2024-BB	115v, 1ph., 60 cycles, 4.8 amps		6"x6"x2"	inf."x20"x 24"	82' / min.
	Semi-Automatic (uniform)	USA 2024-SB	115v, 1ph., 60 cycles, 7.2 amps		6"x4"x4.5"	inf."x20"x 24"	82' / min.
	Semi-Automatic (uniform)	USA 2036-TB	115v, 1ph., 60 cycles, 8.5 amps		6"x6"x2"	inf."x20"x 36"	82' / min.
	Semi-Automatic (uniform)	USA 2024-TBS	115v, 1ph., 60 cycles, 8.5 amps		6"x6"x6"	inf."x20"x 24"	82' / min.
	Semi-Automatic (uniform)	USA 2024-SS	115v, 1ph., 60 cycles, 7.2 amps		6"x4"x4.5"	inf."x20"x 24"	82' / min.
	Semi-Automatic (uniform)	USA 3036-SB	115v, 1ph., 60 cycles, 9.6 amps		6"x6"x6"	inf."x30"x 36"	82' / min.
	Semi-Automatic (uniform)	USA 2024-OPF	115v, 1ph., 60 cycles, 4.8 amps	2 CFM @ 90 psi	6"x6"x.5"	inf."x20"x 24"	82' / min.
	Semi-Automatic (uniform)	USA 2024-BFF	115v, 1ph., 60 cycles, 8.5 amps		6"x4"x4.5"	26"x20"x24"	82' / min.
	Semi-Automatic (random)	RSA 2024-TB	110v, 1ph., 60 cycles, 15 amps	9 CFM @ 80 psi	6"x6"x4"	inf."x20"x 24"	82' / min.
	Semi-Automatic (random)	RSA 2024-SB	110v, 1ph., 60 cycles, 15 amps	9 CFM @ 80 psi	6"x6"x5"	inf."x20"x 24"	82' / min.
	Semi-Automatic (random)	RSA 3036-SB	110v, 1ph., 60 cycles, 15 amps	9 CFM @ 80 psi	6"x6"x12"	inf."x20"x 36"	82' / min.
	Automatic (uniform)	UA 262020-SB	115v, 1ph., 60 cycles, 9.6 amps	3 CFM @ 90 psi	6"x4.5"x4.5"	26"x20"x20"	82' / min.
	Automatic (uniform)	UA 262020/3-SB	115v, 1ph., 60 cycles, 9.6 amps	3 CFM @ 90 psi	6"x5.5"x4.5"	26"x20"x20"	82' / min.
	Automatic (random)	RA 1200-FB	240v, 3ph., 60 cycles 20 amps	10 cfm @ 90 psi	9"x7"x6"	28"x20"x20"	10-12 CPM
Automatic (random)	RA 1200-FB/3	240v, 3ph., 60 cycles 20 amps	10 cfm @ 90 psi	9"x7"x6"	28"x20"x20"	10-12 CPM	
Entry Level Case Erector	Case Erector	CE-12	240v, 3ph., 60 cycles 15 amps	10 cfm @ 90 psi	10"x7"x4"	23"x16"x22"	up to 12 CPM
Printers	Ink Jet Inline	Single-Line					100 ft./min.
	Ink Jet Inline	Twin-Line					100 ft./min.
	Ink Jet Inline	Tri-Line					100 ft./min.
	Ink Jet Inline	Vari-Line					100 ft./min.
Labeling Systems							



Roach Conveyors

Belt Conveyors	8 Models
Belt Driven Live Roller Conveyors	8 Models
Chain Driven Live Roller Conveyors	10 Models
Line Shaft Conveyors	9 Models
Accumulation Conveyors	13 Models
Gravity Conveyors	16 Models
Conveyor Components	7 Categories
Conveyor Accessories	26 Categories
Miscellaneous Power Conveyors	16 Models

More than 100 Model varieties and 39,000 sizes are available

C-PACK

Automatic Packaging Machinery

